



2021-2022  
**ANNUAL REPORT**  
FOR STORM WATER DISCHARGES  
ASSOCIATED WITH INDUSTRIAL ACTIVITIES

Reporting Period July 1, 2021 through June 30, 2022

**Retain a copy of the completed Annual Report for your records.**

Please remember that a Notice of Termination and new Notice of Intent are required whenever a facility operation is relocated or changes ownership.

If you have any questions, please contact your Regional Board Industrial Storm Water Permit Contact. The names, telephone numbers, and e-mail addresses of the Regional Board contacts, as well as the Regional Board office addresses, can be found at:

[http://www.waterboards.ca.gov/water\\_issues/programs/stormwater/contact.shtml](http://www.waterboards.ca.gov/water_issues/programs/stormwater/contact.shtml)

**General Information**

**A. Facility Information**

WDID: 4 191022488

Business Name: Chiquita Canyon Landfill

Physical Address: 29201 Henry Mayo Dr

City: Castaic

Contact Person: Steve Cassulo

State: CA

Phone: 661-257-3655

Zip: 91384

Email: [steveca@wcnx.org](mailto:steveca@wcnx.org)

Standard Industrial Classification (SIC) Codes: 4953-Refuse Svstems

**B. Facility Owner Information**

Business Name: Chiquita Canyon Landfill

Mailing Address: 29201 Henry Mayo Dr

City: Castaic

Contact Person: Steve Cassulo

State: CA

Phone: 661-257-3655

Zip: 91384

Email: [steveca@wcnx.org](mailto:steveca@wcnx.org)

**C. Facility Billing Information**

Business Name: Chiquita Canyon Landfill

Mailing Address: 29201 Henry Mayo Dr

City: Castaic

Contact Person: Steve Cassulo

State: CA

Phone: 661-257-3655

Zip: 91384

Email: [steveca@wcnx.org](mailto:steveca@wcnx.org)

## Question Information

1. Has the Discharger conducted monthly visual observations (including authorized and unauthorized Non-Storm Water Discharges and Best Management Practices) in accordance with Section XI.A.1?

Yes  No

If No, see Attachment 1, Summary of Explanation.

2. Has the Discharger conducted sampling event visual observations at each discharge location where a sample was obtained in accordance with Section XI.A.2?

Yes  No

If No, see Attachment 1, Summary of Explanation.

3. Did you sample the required number of Qualifying Storm Events during the reporting year for all discharge locations, in accordance with Section XI.B?

Yes  No

If No, see Attachment 1, Summary of Explanation.

4. How many storm water discharge locations are at your facility?

2

5. Has the Discharger chosen to select Alternative Discharge Locations in accordance with Section XI.C.3?

Yes  No

6. Has the Discharger reduced the number of sampling locations within a drainage area in accordance with the Representative Sampling Reduction in Section XI.C.4?

Yes  No

6.1. Has the Discharger reduced the frequency of sampling at the facility area in accordance with the Sample Frequency Reduction in Section XI.C.7?

Yes  No

7. Permitted facilities located within an impaired watershed must assess for potential pollutants that may be present in the facility's industrial storm water discharge. Using the table below, populated based on the facility's location, indicate the presence of the potential pollutant at the facility.

See Attachment 2 for the List of Identified Pollutants within the Impaired Watershed.

8. Has the Discharger included the above pollutants in the SWPPP pollutant source assessment and assessed the need for analytical monitoring for the pollutants?

Yes  No

If No, what date will the parameter(s) will be added to the SWPPP and Monitoring Implementation Plan?

9. Were all samples collected in accordance with Section XI.B.5?

Yes  No

If No, see Attachment 1, Summary of Explanation.

10. Has any contained storm water been discharged from the facility this reporting year?

Yes  No

If Yes, see Attachment 1, Summary of Explanation.

11. Has the Discharger conducted one (1) annual evaluation during the reporting year as required in Section XV?

Yes  No

If Yes, what date was the annual evaluation conducted? 06/21/2022

If No, see Attachment 1, Summary of Explanation.

12. Has the Discharger maintained records on-site for the reporting year in accordance with XXI.J.3?

Yes       No

If No, see Attachment 1, Summary of Explanation.

If your facility is subject to Effluent Limitation Guidelines in Attachment F of the Industrial General Permit, include your specific requirements as an attachment to the Annual Report (attach as file type: Supporting Documentation).

## ANNUAL REPORT CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Printed Name: Steve Cassulo

Title: ADM

Date: 07/01/2022

**Annual Report for WDID 4 19I022488****Summary of Explanations**

<b>Explanation Question</b>	<b>Explanation Text</b>
Question 3	There were not enough QSEs during the reporting year to produce discharge at the site. The site has two large storm water basins.
Question 10	The site has two large basins that collect stormwater. After allowing the water time to settle, water was discharged from the site.

**Summary of Attachments**

<b>Attachment Type</b>	<b>Attachment Title</b>	<b>Description</b>	<b>Date Uploaded</b>	<b>Part Number</b>	<b>Attachment Hash</b>
------------------------	-------------------------	--------------------	----------------------	--------------------	------------------------

2021-2022

**Annual Report for WDID 4 19I022488**

**List of Identified Pollutants within the Impaired Watershed**

<b>Parameter</b>	<b>Pollutant</b>	<b>Present at Facility?</b>
Chloride	Chloride	Yes
Chlorpyrifos	Chlorpyrifos	No
Diazinon	Diazinon	No
E.Coli and Enterococcus	Coliform Bacteria	Yes
Metals Screen	Iron	Yes
Metals Screen	Copper	No

\* Does your facility storm water flow to one or more TMDL water bodies or watersheds listed in Attachment E? Yes

\* TMDL Parameters Information

TMDL	Waterbody/Watershed Name	Parameter Name	Discharges ?
Santa Clara River Bacteria	Santa Clara River Reaches 3, 4, 5, 6, and 7	E.coli	Y