
From: Amanda Froman <Amanda.Froman@WasteConnections.com>
Sent: Wednesday, May 29, 2024 9:19 PM
To: Baitong Chen; Nathaniel Dickel; Christina Ojeda
Cc: Steve Cassulo; Nicole Ward
Subject: Case No. 6177-4 Stipulated Order for Abatement – Condition 53 Weekly Report

[EXTERNAL SENDER: Use caution with links/attachments]

All,

In accordance with Condition 53 of the Stipulated Order, Chiquita provides the following information for the week of May 20 through May 26. Chiquita is providing this information to the best of its knowledge; this information is subject to change based on further review and verification.

(1) number of tanks in each leachate tank group;

There are currently 251 leachate frac tanks at the Chiquita Canyon Landfill:

#1 Top Deck Tank Manifold: 0

#2 East Perimeter Manifold: 4

#4 LC Manifold: 1

#6 North Perimeter Manifold: 6

#7 Tank Farm: 107

#9 Tank Farm: 129

Staging area, not in use: 4

(2) total number of leachate tanks treated;

Chiquita treated 68 tanks during the weekly period. Chiquita has treated 910 tanks from February 17, 2024 (the beginning of treatment) to date.

(3) weekly and year-to-date total quantity of liquid collected;

Chiquita estimates that it collected approximately 1,230,211 gallons of liquid during the weekly period (not counting flare condensate). Chiquita estimates that it has collected approximately 21,367,627 gallons from January 1, 2024 to date (not counting flare condensate).

(4) weekly and year-to-date total quantity of liquid treated;

Assuming 17,000 gallons per tank, Chiquita treated approximately 697,000 gallons during the weekly period and approximately 13,566,000 gallons from February 17, 2024 (the beginning of treatment) to date.

(5) estimated weekly and year-to-date total quantity of seeping, pooling, or ponding leachate collected.

No seeping, pooling, or ponding leachate was observed during the weekly period. The year-to-date estimate is approximately 170,700 gallons. These numbers are based on Chiquita's twice-daily inspections of leachate seeps/pooling

and the logged estimates of the number of gallons of seeping/pooling leachate, as well as estimates of stormwater and leachate pumped from the dammed stormwater channel during storm events early in the year. This overestimates the amount of leachate collected because it includes these previously reported events where leachate seepage entered the channel and came into contact with stormwater. Note that the volume of any leachate seeps/pooling that are collected is also captured in the totals under #3, because those liquids are transferred to the frac tanks for eventual disposal.

Thank you,

Amanda Froman
Compliance Manager
Waste Connections, Inc.